

Author index to volume 104 (1992)

- Archdeacon, D., The medial graph and voltage-current duality (2) 111–141
- Beasley, L.B. and N.J. Pullman, Linear operators that strongly preserve graphical properties of matrices (2) 143–157
- Cai, M., A remark on the number of vertices of degree k in a minimally k -edge-connected graph (3) 221–226
- Caro, Y., On zero-sum Ramsey numbers—stars (1) 1– 6
- Chen, W.Y.C. and G.-C. Rota, q -Analog of the inclusion-exclusion principle and permutations with restricted position (1) 7– 22
- Conforti, M. and M.R. Rao, Articulation sets in linear perfect matrices I: forbidden configurations and star cutsets (1) 23– 47
- De Launey, W., Generalised Hadamard matrices which are developed modulo a group (1) 49– 65
- De Resmini, M.J., see Phelps, K.T. (3) 273–280
- Enomoto, H., H. Mizutani and N. Tokushige, A word problem in Artin semigroups (2) 159–166
- Fröberg, R., A characterization of k -trees (Note) (3) 307–309
- Griggs, J.R. and M. Wu, Spanning trees in graphs of minimum degree 4 or 5 (2) 167–183
- Hamada, N. and T. Hellesest, A characterization of some $(2v_{\alpha+1} + v_{\gamma+1}, 2v_{\alpha} + v_{\gamma}; k-1, 3)$ -minihypers and some $(n, k, 3^{k-1} - 2 \cdot 3^{\alpha} - 3^{\gamma}; 3)$ -codes ($k \geq 3, 0 \leq \alpha < \gamma < k-1$) meeting the Griesmer bound (1) 67– 81
- Hartman, A. and Z. Yehudai, Intersections of Steiner quadruple systems (3) 227–244
- Hellesest, T., see Hamada, N. (1) 67– 81
- Jia, X.F., see Qiu, Y. (2) 201–204
- Kochol, M., The notion and basic properties of M -transversals (Note) (2) 191–196
- Kohayakawa, Y. and J. Wojciechowski, On small graphs with highly imperfect powers (3) 245–261
- Lindner, C.C. and C.A. Rodger, 2-Perfect m -cycle systems (1) 83– 90
- Li, N.-Z. and E.G. Whitehead Jr, The chromatic uniqueness of W_{10} (Note) (2) 197–199
- Lorimer, P.J. and W. Solomon, The Ramsey numbers for stripes and complete graphs I (1) 91– 97
- McQuillan, D. and R.B. Richter, On the crossing numbers of certain generalized Petersen graphs (Note) (3) 311–320
- Mizutani, H., see Enomoto, H. (2) 159–166
- Niederhausen, H., Fast Lagrange inversion, with an application to factorial numbers (1) 99–110
- Oral, H., Self-orthogonal codes with distance four are not rigid (3) 263–271
- Phelps, K.T. and M.J. de Resmini, Partitioning twofold triple systems into complete arcs (3) 273–280
- Pullman, N.J., see Beasley, L.B. (2) 143–157
- Qiu, Y. and X.F. Jia, The maximum size of graphs satisfying a degree condition (Note) (2) 201–204
- Rao, M.R., see Conforti, M. (1) 23– 47
- Richter, R.B., see McQuillan, D. (3) 311–320
- Rodger, C.A., see Lindner, C.C. (1) 83– 90
- Rota, G.-C., see Chen, W.Y.C. (1) 7– 22
- Sachs, H., see Wang, T. (3) 281–292
- Servatius, H., An Artin relation of length n in the braid group (2) 185–189
- Shi, Y., The number of edges in a maximum cycle-distributed graph (Note) (2) 205–209
- Solomon, W., see Lorimer, P.J. (1) 91– 97

- Sun, Z.-W., On disjoint residue classes (*Note*) (3) 321-326
- Tokushige, N., see Enomoto, H. (2) 159-166
- Wagner, D.G., On the perfect one-factorization conjecture (*Note*) (2) 211-215
- Wang, T. and H. Sachs, A contribution to the theory of Tutte's V - and W -function (3) 281-292
- Whitehead Jr, E.G., see Li, N.-Z. (2) 197-199
- Wiseman, J.A., On the intersection rank of a graph (3) 293-305
- Wojciechowski, J., see Kohayakawa, Y. (3) 245-261
- Wu, M., see Griggs, J.R. (2) 167-183
- Xu, S., The chromatic uniqueness of complete bipartite graphs (*Corrigendum*) (2) 217
- Yehudai, Z., see Hartman, A. (3) 227-244
- Yu, X., Ends in spanning trees (*Note*) (3) 327-328

